

CARBOHYDRATE RESEARCH, VOL. 177 (1988)**AUTHOR INDEX**

- ADACHI, Y., 91
AHMED, H., 173
AHRENS, R., 273
ANNISON, G., 278
ARAI, T., 69
ARAI, Y., 153, 163
ATOPKINA, L. N., 101
- BABA, T., 153, 163
BARILI, P. L., 29
BARON, M., 235
BECK, J., 240
BORATYNSKI, J., c5
BRENNAN, P. J., 185
BUCHANAN, C. M., 228
- CATELANI, G., 29
CERRINI, S., 29
CHATTERJEE, B. P., 173
COLONNA, F., 29
CONCHIE, J., 127
CUNNINGHAM, D., 1
- D'AMBRA, A. J., 111
DASGUPTA, F., c13
DATTA, S. N., 43
DENGLER, T., 273
DENISENKO, V. A., 101
DUTTON, G. G. S., 278
- EKLUND, S. H., 253
ELYAKOV, G. B., 101
- FUJISHIMA, Y., 51
FUJITA, M., 51
FUJITA, T., 213
- GAMIAN, A., c5
GAREGG, P. J., c13
GAVIN, N., 1
GAYLORD, H., 185
GERVAIS, S., c5
GORIN, P. A. J., 235
GOTTLIEB, H. E., 21
GOWDA, D. C., 117
GRAY, G. R., 111
GROCHOWSKI, E., 244
GRUBER, P. R., 111
- HALE, K. J., 259
- HASEGAWA, A., 51
HASHIMOTO, H., c9
HAY, A. J., 127
HÉNICHART, J.-P., 81
HERNÁNDEZ-BARRANCO, A., 265
HERZIG, J., 21
HIGGINS, T., 1
HIROTO, M., 163
HIRSCH, J., 43
HIRUMA, K., c9
HOUGH, L., 259
HYATT, J. A., 228
- IACOMINI, M., 235
- JANN, B., 273
JANN, K., 273
JURCZAK, J., 244
- KENANI, A., 81
KISO, M., 51
KNOBLOCH, H., 43
- LAFERRIÈRE, C. A., c1
LAMBA, D., 29
LAMBLIN, G., 81
LEAL, J. A., 265
LEDL, F., 240
LEE, C. K., 247
LEE, E., 1
LIPPMAA, E., 43
LOMAX, J. A., 127
LOWMAN, D. W., 228
- MANDAL, P. K., 278
MARRA, A., 29
MCARDLE, P., 1
MCNEIL, M., 185
MINÁRIK, M., 43
MUKAI, Y., 69
- NUDELMAN, A., 21
- O'CALLAGHAN, J., 1
OGAWA, S., 199, 213
OGAWA, Y., 51
OHNO, N., 91
OIKAWA, S., 91
ORIHARA, M., 199
OXLEY, D., 285

PEHK, T., 43
PIHAR, O., 43
PRIETO, A., 265

RAJU, T. S., 117
RICE, M. J., 111
RICHARDSON, A. C., 259
ROBYT, J. F., 253
ROSELL, K.-G., 289
ROY, R., c1, c5
RUPÉREZ, P., 265

SALAŃSKI, P., 244
SARATHY, C., 117
SATO, K., 91
SAWADA, M., 13
SCHRAML, J., 43
SEMPREVIVO, L. H., 222
SEVERIN, T., 240
STEPOWSKA, H., 244
SUZUKI, Y., 91

TAMURA, J., c9
TANAHASHI, M., 51
TANAKA, T., 13
TANIGUCHI, T., 13

UCHIYAMA, T., 13
UEMURA, M., 213
UNGER, F. M., 51
URYU, T., 69
UVAROVA, N. I., 101

WATANABE, K., 153, 163
WILKINSON, S. G., 285

YADOMAE, T., 91
YONEZAWA, N., 163
YOSHIDA, T., 69

ZELLER, S. G., 111

CARBOHYDRATE RESEARCH, VOL. 177 (1988)

SUBJECT INDEX

- Acetals, pyruvate, of hexopyranosides, a new and efficient synthesis of, c9
- Acetates, of carbohydrates, a simple n.m.r. method for assigning the carbonyl resonances of, 228
- Acetylated sugars and glycosides, methanolysis of, in the presence of tin oxides and alkoxides, 21
- N-Acetylneuraminic acid, antigenic copolymers of, synthesis, c1
- Agglutinin, purification, carbohydrate specificity, and characterisation of the combining site of *Wistaria sinensis*, 173
- Alkyl sulfonyl triflate as activator in the thio-glycoside-mediated formation of β -glycosidic linkages during oligosaccharide synthesis, c13
- Amadori compounds, formation of 1-deoxy-D-erythro-2,3-hexodiulose from, 240
- 2-(4-Aminophenyl)ethylamine, preparation of derivatives of reducing oligosaccharides with, 222
- Analysis of positions of substitution of O-methyl or O-ethyl groups in partially methylated or ethylated cellulose by the reductive-cleavage method, 111
- Anticoagulant, synthesis of branched D-xylofuran by selective ring-opening polymerization of silylated 1,5-anhydro- β -D-xylofuranose, and its conversion into blood, 69
- Antigenic copolymers of N-acetylneuraminic acid, synthesis, c1
- Avocado tree (*Persea americana* Mill), structural investigations on the mucilaginous polysaccharides isolated from bark of the, 117
- Bleomycin-A₂, cleavage of D-mannosyl-L-gulose disaccharide from, 81
- Bovine serum albumin conjugate, preparation and application of a pentamannosyl monophosphate, 163
- Carbohydrates, synthesis of some novel group IVa organometallic derivatives of, 259
- Cellulose, O-ethyl-, distribution of substituents in, 289
- Cellulose, partially ethylated or methylated, analysis of positions of substitution of O-ethyl or O-methyl groups in, by the reductive-cleavage method, 111
- Characterisation of galactofuranose-containing heteropolysaccharides from the cell walls of *Talaromyces helicus*, partial, 265
- Chemoselective reduction of D-fructose in the presence of D-glucose, c5
- Chlorodeoxy-L-idofuranoid derivatives, synthesis and reactions of, 247
- Conformationally different (1 \rightarrow 3)- β -D-glucans isolated from liquid-cultured mycelium of *Grifolia frondosa*, degradation with formic acid of, 91
- Conjugates of biologically active lipid A-subunit analogs with 3-deoxy-D-manno-2-octulosonic acid (KDO) and its methyl ester, 51
- Crystal structure of di- β -D-fructofuranose 2',1:2,3-dianhydride, 13
- Degradation with formic acid of conformationally different (1 \rightarrow 3)- β -D-glucans isolated from liquid-cultured mycelium of *Grifolia frondosa*, 91
- 1-Deoxy-D-erythro-2,3-hexodiulose from Amadori compounds, formation of, 240
- Determinant of serovariant 14 of the *Mycobacterium avium* complex, N-formylkansosaminyl-(1 \rightarrow 3)-2-O-methyl-D-rhamnopyranose: the type-specific, 185
- Dianhydride, crystal structure of di- β -D-fructofuranose 2',1:2,3', 13
- 5-exo-, 6-exo-Dihydroxy-endo- and -exo-7-oxabicyclo[2.2.1]heptane-2-carboxylic acids, synthesis of pseudo-sugar derivatives from, 213
- Distribution of substituents in O-ethylcellulose, 289
- 2,3-Epoxy group, studies of the, as a donor group in lanthanide shift-reagent studies of carbohydrate systems, 1
- Escherichia coli* O25:K19:H12, structure of the capsular polysaccharide (K19 antigen) from uropathogenic, 273
- Ethylamine, 2-(4-aminophenyl)-, preparation of derivatives of reducing oligosaccharides with, 222
- Formation of 1-deoxy-D-erythro-2,3-hexodiulose from Amadori compounds, 240
- N-Formylkansosaminyl-(1 \rightarrow 3)-2-O-methyl-D-rhamnopyranose: The type-specific determinant of serovariant 14 of the *Mycobacterium avium* complex, 185
- Fructofuranose 2',1:2,3'-dianhydride, crystal structure of di- β -D-, 13
- D-Fructose, chemoselective reduction of, in the presence of D-glucose, c5

- Ginsenosides (glycosides from ginseng), semisynthetic analogues of, 101
- (1→3)- β -Glucan, linear, isolation from the lichen *Stereocaulon ramulosum* (SW) Räsch and identification of, 235
- β -D-Glucans isolated from liquid-cultured mycelium of *Grifola frondosa*, degradation with formic acid of conformationally different (1→3)-, 91
- D-Glucansucrases, synthesis of 6-deoxy-6-fluorosucrose, and its inhibition of *Leuconostoc* and *Streptococcus*, 253
- Glycosides from ginseng (ginsenosides), semisynthetic analogues of, 101
- L-Gulose disaccharide, D-mannosyl-, cleavage from bleomycin-A₂ of, 81
- Heteropolysaccharides from the cell walls of *Talaromyces helicus*, partial characterisation of galactofuranose-containing, 265
- Hexopyranosides, pyruvate acetals of, a new and efficient synthesis of, c9
- High-pressure approach to the synthesis of "C-O-N" analogues of nucleosides, 244
- L-Idofuranoid derivatives, synthesis and reactions of chlorodeoxy-, 247
- Isolation and characterization of the 36-kDa D-mannose 6-phosphate receptor from porcine testis, 153
- Isolation and structure of a new oligosaccharide arising as a by-product during the preparation of commercial lactulose, 43
- Isopropylidene derivatives of alkyl α - and β -D-galactopyranosides, synthesis of 2,3:4,6-di-O-,
- Klebsiella* K24, capsular polysaccharide, location of acetyl group, 278
- Lactulose, isolation and structure of a new oligosaccharide arising as a by-product during the preparation of commercial, 43
- Lanthanide shift-reagent studies of carbohydrate systems, the 2,3-epoxide as a donor group in, 1
- Lichen *Stereocaulon ramulosum* (SW) Räsch, isolation and identification of a linear (1→3)- β -D-glucan from, 235
- Lignin-carbohydrate complexes from sheep rumen fluid, composition and structural features of soluble, 127
- Lipid A, subunit analogs, biologically active conjugates of, with 3-deoxy-D-manno-2-octulosonic acid and its methyl ester, 51
- Lipopolysaccharide of the reference strain (C.D.C. 4523-60) for *Serratia marcescens* serogroup O15, structure of a neutral polymer isolated from the, 285
- D-Mannose 6-phosphate receptor from porcine testis, isolation and characterization of the 36-kDa, 153
- D-Mannosyl-L-gulose disaccharide, cleavage from bleomycin-A₂ of, 81
- Methanolysis of acetylated sugars and glycosides in the presence of tin oxides and alkoxides, 21
- Methyl 2,3-anhydro-4,6-O-benzylidene- β -D-mannopyranoside, the X-ray structure of, 1
- Mycobacterium avium* complex, N-formylkansoaminyl-(1→3)-2-O-methyl-D-rhamnopyranose: The type-specific determinant of serovar 14 of the, 185
- N.m.r. method, a simple, for assigning the carbonyl resonances of carbohydrate acetates, 228
- Nucleosides, high-pressure approach to the synthesis of "C-O-N" analogues of, 244
- 2-Octulosonic acid, 3-deoxy-D-manno-, and its methyl ester, conjugates of, with biologically active lipid A-subunit analogs, 51
- Oligosaccharide arising as a by-product during the preparation of commercial lactulose, isolation and structure of a new, 43
- Oligosaccharide synthesis, alkyl sulfonyl triflate as activator in the thioglycoside-mediated formation of β -glycosidic linkages during, c13
- Oligosaccharides, reducing, preparation with 2-(4-aminophenyl)ethylamine of derivatives of, 222
- Organometallic derivatives of carbohydrates, synthesis of some novel group IVa, 259
- Penta-N,O-acetyl-pseudo-2-amino-2-deoxy-DL-hexopyranoses, synthesis of seven, 199
- Pentamannosyl monophosphate-bovine serum albumin conjugate, preparation and application of a, 163
- Polysaccharide (K19 antigen) from uropathogenic *Escherichia coli* O25:K19:H12, structure of the capsular, 273
- Polysaccharide of *Klebsiella* K24, location of acetyl group, 278
- Polysaccharides, mucilaginous, isolated from bark of the avocado tree (*Persea americana* Mill), structural, 117
- Preparation and application of a pentamannosyl monophosphate-bovine serum albumin conjugate, 163
- Pseudo-2-amino-2-deoxy-DL-hexopyranoses, synthesis of seven penta-N,O-acetyl-, 199
- Pseudo-sugar derivatives from 5*exo*, 6*exo*-dihydroxy-endo- and exo-7-oxabicyclo[2.2.1]heptane-2-carboxylic acids, synthesis of, 213
- Purification, carbohydrate specificity, and characterisation of the combining site of *Wistaria sinensis* agglutinin, 173

- Receptor from porcine testis, isolation and characterization of the 36-kDa D-mannose 6 phosphate, 153
- Reductive-cleavage method, analysis of positions of substitution of *O*-methyl or *O*-ethyl groups in partially methylated or ethylated cellulose by the, 111
- Rhamnopyranose: The type-specific determinant of serovar 14 of the *Mycobacterium avium* complex, *N*-formylkansosaminyl-(1→3)-2-*O*-methyl-D-, 185
- Semisynthetic analogues of ginsenosides (glycosides from ginseng), 101
- Serratia marcescens* serogroup O15, structure of a neutral polymer isolated from the lipopolysaccharide of the reference strain (C.D.C. 4523-60) for, 285
- Sheep rumen fluid, composition and structural features of soluble lignin-carbohydrate complexes from, 127
- Simple, n.m.r. method for assigning the carbonyl resonances of carbohydrate acetates, 228
- Soluble lignin-carbohydrate complexes from sheep rumen fluid, composition and structural features of, 127
- Stereocaulon ramulosum* (SW) Räusch, lichen, isolation and identification of a linear (1→3)- β -D-glucan from, 235
- Structural investigations on the mucilaginous polysaccharides isolated from bark of the avocado tree (*Persea americana* Mill), 117
- Structure of a neutral polymer isolated from the lipopolysaccharide of the reference strain (C.D.C. 4523-60) for *Serratia marcescens* serogroup O15, 285
- Structure of the capsular polysaccharide (K19 antigen) from uropathogenic *Escherichia coli* O25:K19:H12, 273
- Sucrose, and its inhibition of *Leuconostoc* and *Streptococcus* D-glucansucrases, synthesis of 6-deoxy-6-fluoro-, 253
- Synthesis, a new and efficient, of pyruvate acetals of hexopyranosides, c9
- Synthesis and reactions of chlorodeoxy-L-idofuranoid derivatives, 247
- Synthesis of branched D-xylofuranan by selective ring-opening polymerization of silylated 1,5-anhydro- β -D-xylofuranose, and its conversion into a blood anticoagulant, 69
- Synthesis of "C-O-N" analogues of nucleosides, high-pressure approach to the, 244
- Synthesis of 6-deoxy-6-fluorosucrose, and its inhibition of *Leuconostoc* and *Streptococcus* D-glucansucrases, 253
- Synthesis of 2,3:4,6-di-*O*-isopropylidene derivatives of alkyl α - and β -D-galactopyranosides, and elucidation of structure by n.m.r. and X-ray analysis, 29
- Synthesis of pseudo-sugar derivatives from 5*exo*, 6*exo*-dihydroxy-*endo*- and *exo*-7-oxabicyclo-[2.2.1]heptane-2-carboxylic acids, 213
- Synthesis of seven penta-*N,O*-acetyl-pseudo-2-amino-2-deoxy-DL-hexopyranoses, 199
- Synthesis of some novel group IVa organometallic derivatives of carbohydrates, 259
- Talaromyces helicus*, partial characterisation of galactofuranose-containing heteropolysaccharides from the cell walls of, 265
- Thioglycoside-mediated formation of β -glycosidic linkages during oligosaccharide synthesis, alkyl sulfenyl triflate as activator in the, c13
- Tin oxides and alkoxides, methanolysis of acetylated sugars and glycosides in the presence of, 21
- Wheat germ agglutinin, binding to synthetic copolymers of *N*-acetylneuraminic acid, c1
- Wistaria sinensis* agglutinin, purification, carbohydrate specificity, and characterisation of the combining site of, 173
- D-Xylofuranan by selective ring-opening polymerization of silylated 1,5-anhydro- β -D-xylofuranose, and its conversion into a blood anticoagulant, synthesis of branched, 69